



COLLECTION

2 0 2 1 / 2 0 2 2

BINDINGS

2021-2022

NEW SQUIRE 11

04



ROYAL FAMILY

06

TOURING

10

NEW KINGPIN DEMO

11

NEW ALPINIST DEMO

14



GripWalk 19

ALL MOUNTAIN 20



RENTAL / DEMO 23



ACCESSORIES 26

OVERVIEW 28

PROTECTIVE SNOW EQUIPMENT

2021-2022

HELMETS

30

NEW PHOENIX 2

30

NEW AMPIRE 2

32



GOGGLES

39

NEW ULTRA FLEX

40



LENSES

47

PROTECTORS

48

NEW MAP VEST**NEW** MAP PACK

49



OVERVIEW

50

[Click & Watch](#)

Click on the icons for video & interactive content.




A NEW GENERATION

THE REBELLION HAS BEGUN



The **SQUIRE**



THE NEW SQUIRE – Entry to the Freeride World



Newest generation of the **Hollow Linkage Heel**

Improved step in performance:
30% less step-in force + easier entry
with GripWalk boots



Newest generation of the **Triple Pivot Light Toe**

Anti Ice Rail to scratch off snow and ice
below your boot soles

GripWalk ready: Fits alpine and GripWalk soles



NEW SQUIRE 11

Category	Freeride
Brake width	90 mm, 100 mm, 110 mm
DIN range	3.0 - 11.0
Boot type	A / GW
Rec. skier's weight	30 - 110 kg
Stand height	24 mm
Toe system	Triple Pivot Light 2
AFD Gliding Plate	Stainless steel
Heel	Hollow Linkage 2
Color	Orange-black (C1), Green-black (C2), White (C3), Black (C4)
Weight/pc.	820 g
Order No.	7424V1.MM (C1 - 110 mm) 7424V1.ML (C1 - 100 mm) 7424V1.MK (C1 - 90 mm) 7424V1.MJ (C2 - 110mm) 7424V1.MH (C2 - 100 mm) 7424V1.MG (C2 - 90 mm) 7424V1.MF (C3 - 110 mm) 7424V1.ME (C3 - 100 mm) 7424V1.MD (C3 - 90 mm) 7424V1.MC (C4 - 110 mm) 7424V1.MB (C4 - 100 mm) 7424V1.MA (C4 - 90 mm)



NEW SQUIRE 10

Category	Freeride
Brake width	85 mm, 100 mm
DIN range	3.0 - 10.0
Boot type	A / GW
Rec. skier's weight	30-105 kg
Stand height	20 mm
Toe system	Triple Pivot Light 2
AFD Gliding Plate	Plastic
Heel	Compact heel
Color	Black-Anthracite
Weight/pc.	815 g
Order No.	7224V1.MB (100 mm) 7224V1.MA (85 mm)



ROYAL FAMILY

2021/22



DUKE PT 16

Category Ride & Hike
Brake width 100 mm
 125 mm
DIN range 6.0 - 16.0
Boot type A / T / GW
Rec. skier's weight 60 + kg
Stand height 24 mm
Toe system Ride & Hike Toe
AFD Gliding Plate Stainless steel
Heel Inter Pivot 3
Color Black - Gunmetal
Uphill weight / Downhill weight 1050 g / 1350 g
Order No. 7650U1ES (100 mm)
 7650U1EB (125 mm)



DUKE PT 12

Category Ride & Hike
Brake width 100 mm
 125 mm
DIN range 4.0 - 12.0
Boot type A / T / GW
Rec. skier's weight 30 - 110 kg
Stand height 24 mm
Toe system Ride & Hike Toe
AFD Gliding Plate Stainless steel
Heel Hollow Linkage 2
Color Black - Red
Uphill weight / Downhill weight 850 g / 1150 g
Order No. 7550U1ES (100 mm)
 7550U1EB (125 mm)



BARON EPF 13

Category Ride & Hike
Brake width S 265 - 325
 L 305 - 365
 110 mm
 100 mm
DIN range 4.0 - 13.0
Boot type A / T / GW
Rec. skier's weight <120 kg
Stand height 36 mm
Toe system Triple Pivot Elite 3
AFD Gliding Plate Stainless steel
Heel Inter Pivot 3
Color Black
Weight /pc. 1390 g
Order No. S: 7516U1SA (110), 7516U1SS (100)
 L: 7516U1LA (110), 7516U1LS (100)

TECHNOLOGY

DUKE PT 16



Ⓐ RIDE & HIKE TOE


RIDE Mode:
 Superior Royal Family downhill performance and release function; DIN 6 – 16

HIKE Mode:
 Pin-technology for strong uphill performance, option to remove the Ride Toe to save 300 g per binding



Ⓐ AUTO QUAD LOCK TECHNOLOGY

In Ride Mode, toe part locks itself at 4 different points automatically when stepping into the binding



Ⓐ LOCK & WALK BRAKE

including brake lock, neutral walking mode and 10° climbing aid



Ⓒ INTER PIVOT 3 FREERIDE HEEL

The newest generation with improved step-in performance. Magnesium heel housing for outstanding power transmission and energy absorption



JESTER 18 PRO ID

Category Freeride
Brake width 90 mm, 110 mm, 120 mm
DIN range 8.0 - 18.0
Boot type A / T / GW
Rec. skier's weight 60 + kg
Stand height 24 mm
Toe system Triple Pivot Elite 3
AFD Gliding Plate Stainless steel
Heel Inter Pivot 3
Color Teal - Flo-Yellow
Weight/pc. 7924U1JS (90 mm), 7924U1JV (110 mm), 7924U1JB (120 mm)
Order No.



JESTER 16 ID

Category Freeride
Brake width 90 mm, 100 mm, 110 mm, 120 mm
DIN range 6.0 - 16.0
Boot type A / T / GW
Rec. skier's weight 60 + kg
Stand height 24 mm
Toe system Triple Pivot Elite 3
AFD Gliding Plate Stainless steel
Heel Inter Pivot 3
Color Black
Weight/pc. 7624U1JA (90 mm), 7624U1JB (100 mm), 7624U1JC (110 mm), 7624U1JD (120 mm)
Order No.




GRIFFON 13 ID

Category Freeride
Brake width 90 mm, 100 mm, 110 mm, 120 mm
DIN range 4.0 - 13.0
Boot type A / T / GW
Rec. skier's weight <120 kg
Stand height 24 mm
Toe system Triple Pivot Elite 3
AFD Gliding Plate Stainless steel
Heel Inter Pivot 3
Color Black (C1), White (C2), Anthracite - Black-red (C3), Teal - Flo-yellow (C4)
Weight/pc. 1030 g
Order No. 7524U1GA (C1 - 90 mm), 7524U1GB (C1 - 100 mm), 7524U1GC (C1 - 110 mm), 7524U1GD (C1 - 120 mm), 7524U1GE (C2 - 90 mm), 7524U1GF (C2 - 100 mm), 7524U1GP (C2 - 110 mm), 7524U1GR (C2 - 120 mm), 7524U1GG (C3 - 90 mm), 7524U1GH (C3 - 100 mm), 7524U1GJ (C3 - 110 mm), 7524U1GK (C4 - 90 mm), 7524U1GL (C4 - 100 mm), 7524U1GM (C4 - 110 mm), 7524U1GN (C4 - 120 mm)

INFO SHEET

Provide the most important infos on the product for the Point of Sale



NEW INFO SHEET

Griffon	198030.0 (EN) 198030.1 (DE) 198030.2 (FR)
Jester	198099.0 (EN) 198099.1 (DE) 198099.2 (FR)
Duke PT 16	198097.0 (EN) 198097.1 (DE) 198097.2 (FR)
Duke PT 12	198098.0 (EN) 198098.1 (DE) 198098.2 (FR)
Squire	198110.0 (EN) 198110.1 (DE) 198110.2 (FR)
Alpinist	198124.0 (EN) 198124.1 (DE) 198124.2 (FR)
Kingpin	198125.0 (EN) 198125.1 (DE) 198125.2 (FR)



TOURING

ABOVE THE CROWD



KINGPIN M-WERKS 12

Category Touring Pin
Brake width 75 - 100 mm, 100 - 125 mm
DIN range 5.0 - 12.0
Rec. skier's weight < 120 kg
Stand height 21,5 mm
Toe system Carbon reinforced Pin Toe
Heel KINGPIN heel
Color Black - Red
Weight/pc.* 630 g
Order No. 7831T1CS (75 - 100 mm)
 7831T1CW (100 - 125 mm)



NEW KINGPIN 10 DEMO

Category Touring Pin Rental
Brake width 75 - 100 mm
DIN range 5.0 - 10.0
Rec. skier's weight 30 - 105 kg
Stand height 28,5mm
Toe system Carbon reinforced Pin Toe
Heel KINGPIN heel
Color Black - Red
Weight/pc. 840 g
Order No. 7734V1.MA



NEW KINGPIN 13 DEMO

Category Touring Pin Rental
Brake width 100 - 125 mm
DIN range 6.0 - 13.0
Rec. skier's weight <120 kg
Stand height 28,5mm
Toe system Carbon reinforced Pin Toe
Heel KINGPIN heel
Color Black - Red
Weight/pc. 860 g
Order No. 7934V1.MB



KINGPIN 10

Category Touring Pin
Brake width 75 - 100 mm, 100 - 125 mm
DIN range 5.0 - 10.0
Rec. skier's weight 30 - 105 kg
Stand height 21,5 mm
Toe system Carbon reinforced Pin Toe
Heel KINGPIN heel
Color Black - Red
Weight/pc.* 670 g
Order No. 7733U1MA (75 - 100 mm)
 7733U1MB (100 - 125 mm)



KINGPIN 13

Category Touring Pin
Brake width 75 - 100 mm, 100 - 125 mm
DIN range 6.0 - 13.0
Rec. skier's weight < 120kg
Stand height 21,5 mm
Toe system Carbon reinforced Pin Toe
Heel KINGPIN heel
Color Black - Red
Weight/pc. * 690 g
Order No. 7933U1MA (75 - 100 mm)
 7933U1MB (100 - 125 mm)

*With brake (75 - 100 mm)

NEW DEMO PLATFORM for Kingpin & Alpinist



Brand new tool-less adjustable demo platform for the two spring toe used in Kingpin and Alpinist

- > Quick and easy to use thanks to ergonomic design
- > Lasered scale for scratch resistance
- > Weight saving-design



MARKER ALPINIST 12

Category Touring Pin
Brake width 90 mm (available as accessory)
 105 mm (available as accessory)
 115 mm (available as accessory)

DIN range 6.0 - 12.0
Rec. skier's weight max. 110 kg

Toe system Carbon reinforced Pin Toe
Heel Alpinist Heel
Color Black - Red (C1)
 Black - Titanium (C2)

Weight w.o. / w brake 245 g (w.o.), 335 g (w)
Order No. 7833S1MA (C1)
 7833S1MB (C2)



PERFORMANCE FEATURES

Heel housing and boot flush
 Simple adjustment to boot sole length

Wide drill pattern 38 mm
 Excellent power transmission for a light-weight binding of this category

Active length compensation
 Up to 4 mm during ski flex

Light alpinist brake (90/105/115 mm)
 Easy adjustment
 Ultra lightweight, 90 g only



WALKING FEATURES

Visual step-in support
 Integrated rubber pads simplify the step-in

Ultralight technologies
 Twin spring toe
 Carbon reinforced toe

Crampon KP/Alpinist-compatible
 80/90/105/120 mm

15 mm length adjustment
 Allows maximum length adjustment

NEW

MARKER ALPINIST 10

Category Touring Pin
Brake width 90 mm (available as accessory)
 105 mm (available as accessory)
 115 mm (available as accessory)

DIN range 4.0 - 10.0
Rec. skier's weight max. 110 kg

Toe system Carbon reinforced Pin Toe
Heel Alpinist heel
Color Black - Titanium

Weight w.o. / w brake 245 g (w.o.), 335 g (w)
Order No. 7733V1.MB



NEW

MARKER ALPINIST 12 LONG TRAVEL

Category Touring Pin
Brake width 90, 105 mm (available as accessory)

DIN range 6.0 - 12.0
Rec. skier's weight max. 110 kg

Toe system Carbon reinforced Pin Toe
Heel Alpinist heel
Color Black - Titanium

Weight w.o brake 250 g
Order No. 7834V1.ML



NO BRAKE PREINSTALLED!

MARKER ALPINIST 8

Category Touring Pin
Brake width 90 mm (available as accessory)
 105 mm (available as accessory)
 115 mm (available as accessory)

DIN range 3.0 - 8.0
Rec. skier's weight max. 110 kg

Toe system Carbon reinforced Pin Toe
Heel Alpinist heel (soft U bow preinstalled)
Color Black - Titanium (C1)
 Black - Turquoise (C2)

Weight w.o. / w brake 245 g (w.o.), 335 g (w)
Order No. 7433U1MB (C1)
 7433U1MC (C2)



NEW

MARKER ALPINIST 10 LONG TRAVEL

Category Touring Pin
Brake width 90, 105 mm (available as accessory)

DIN range 4.0 - 10.0
Rec. skier's weight max. 110 kg

Toe system Carbon reinforced Pin Toe
Heel Alpinist heel
Color Black - Titanium

Weight w.o brake 250 g
Order No. 7734V1.ML




NO BRAKE PREINSTALLED!



NEW

MARKER ALPINIST DEMO 10

Category Touring Pin Rental
Brake width 90 mm (premounted)
 105 mm (premounted)
DIN range 4.0 - 10.0
Rec. skier's weight max. 110 kg
Toe system Carbon reinforced Pin Toe
Heel Alpinist heel
Color Black - Titanium
Weight/pc.* 510 g
Order No. 7734V1.MW (105 mm)
 7734V1.MS (90 mm)



NEW

MARKER ALPINIST DEMO 8

Category Touring Pin Rental
Brake width 90 mm (premounted)
DIN range 3.0 - 8.0
Rec. skier's weight max. 110 kg
Toe system Carbon reinforced Pin Toe
Heel Alpinist heel
Color Black - Titanium
Weight/pc.* 510 g
Order No. 7434V1.MS



NEW DEMO PLATFORM for Kingpin & Alpinist



Brand new tool-less adjustable demo platform for the two spring toe used in Kingpin and Alpinist

- > Quick and easy to use thanks to ergonomic design
- > Lasered scale for scratch resistance
- > Weight saving-design
- > Marker Alpinist Demo models offer a sole length adjustment range of 255 - 365mm after mounting



F12 TOUR EPF

Category Touring frame
Size S 265 - 325 mm
 L 305 - 365 mm
Brake width 100, 110 mm
DIN range 4.0 - 12.0
Boot type A / T / GW
Rec. skier's weight <120 kg
Stand height 36 mm
Toe system Triple Pivot light
AFD Gliding Plate Stainless steel
Heel Hollow Linkage
Color Black - Anthracite
Weight/pc. 1096 g
Order No. S: 7816R1SE (110), 7816U1SS (100)
 L: 7816R1LE (110), 7816U1LS (100)



F10 TOUR

Category Touring frame
Size S 265 - 325
 L 305 - 365
Brake width 90, 100 mm
DIN range 3.0 - 10.0
Boot type A / T / GW
Rec. skier's weight 30 - 105 kg
Stand height 36 mm
Toe system Triple Pivot light
AFD Gliding Plate Active AFD
Heel Hollow Linkage
Color Black - White
Weight/pc. 1056 g
Order No. S: 7716S1TC (90), 7716U1TS (100)
 L: 7716S1TD (90), 7716U1TL (100)



COMPETITION & RACE

2021/22



XCOMP 24

Category Race Competition
 Brake width 85 mm
 DIN range 12.0 - 24.0
 Boot type A
 Rec. skier's weight 60 + kg
 Stand height 18 mm
 Toe system Xcomp
 AFD Gliding Plate Teflon
 Heel TCX Competition
 Color Black - Flo-red
 Weight/pc. 1327 g
 Order No. 7130U1MX



XCOMP 18

Category Race Competition
 Brake width 85 mm
 DIN range 8.0 - 18.0
 Boot type A
 Rec. skier's weight 60 + kg
 Stand height 18 mm
 Toe system Xcomp
 AFD Gliding Plate Teflon
 Heel TCX Competition
 Color Black - Flo-red
 Weight/pc. 1303 g
 Order No. 7120U1MX



XCOMP Impressive power transmission



One piece attachment with **three point mounting pattern**

Absorbers in main body provide a **more forgiving performance**

Xcomp piston absorbs short initial impacts and keeps boot centered

Great power transmission, precision and control



Increased vertical energy absorption

Increased boot lug purchase

Wider heel connection

Better power transmission



XCOMP 16

Category Race Commercial
 Brake width 85 mm
 DIN range 6.0 - 16.0
 Boot type A / GW
 Rec. skier's weight 60 + kg
 Stand height 18 mm
 Toe system Xcomp
 AFD Gliding Plate Stainless steel
 Heel TCX
 Color Black - Flo-Red
 Weight/pc. 1199 g
 Order No. 6920U1MS



XCOMP 12

Category Race Commercial
 Brake width 85 mm
 DIN range 4.0 - 12.0
 Boot type A / GW
 Rec. skier's weight <120 kg
 Stand height 18 mm
 Toe system Xcomp
 AFD Gliding Plate Stainless steel
 Heel TCX
 Color Black - Flo-Red
 Weight/pc. 1168 g
 Order No. 6820U1MS





RACE 10 TCX

Category Race Commercial
 Brake width 85 mm
 DIN range 3.0 - 10.0
 Boot type A
 Rec. skier's weight 30 - 105 kg
 Stand height 18 mm
 Toe system 2linkage
 AFD Gliding Plate Stainless steel
 Heel TCX
 Color Black - Flo-red
 Weight/pc. 1083 g
 Order No. 6520U1MT



RACE 10

Category Race Commercial
 Brake width 85 mm
 DIN range 3.0 - 10.0
 Boot type A
 Rec. skier's weight 30 - 105 kg
 Stand height 20 mm
 Toe system 2linkage
 AFD Gliding Plate Stainless steel
 Heel Compact 3
 Color Black - Flo-red
 Weight/pc. 833 g
 Order No. 6520U1MS



RACE JUNIOR 8

Category Race Commercial
 Brake width 85 mm
 DIN range 2.0 - 8.0
 Boot type C
 Rec. skier's weight 25 - 100 kg
 Stand height 20 mm
 Toe system 2linkage
 AFD Gliding Plate Stainless steel
 Heel Compact 3
 Color Black - Flo-red
 Weight/pc. 833 g
 Order No. 6320U1MS

→ Especially designed for junior boots



WORLD CUP PC INTERFACE

	WC PC Interface	WC PC Interface
Category	Race	Race
Stand height	10 mm	14 mm
Width / Length	59 / 542 mm	59 / 542 mm
Sole Length	260 - 362 mm	260 - 362 mm
Color	Black	Black
Weight/pc.	644 g	709 g
Order No.	2020R1SS	2022R1SS



EXCELLENT GRIP FOR WALKING

Pronounced rib profile

Non-slip material

Perfect grip



ERGONOMIC SOLE

Natural walking feeling

Rounded sole profile

Improved rolling properties



INNOVATIVE GRIPWALK SYSTEM

GripWalk binding compatible with both GripWalk soles and also with Alpine soles (ISO 5355)

No height adjustment required

Replaceable toe & heel pads



→ just step in

Almost all Marker bindings are GripWalk ready out of the box!
 *(except for Race models)



ALL MOUNTAIN

2021/22



XCOMP 16 GW BLACK

Category All Mountain Piste
Brake width 90 mm
DIN range 6.0 - 16.0
Boot type A / GW
Rec. skier's weight 60 + kg
Stand height 18 mm
Toe system XComp
AFD Gliding Plate Stainless steel
Heel TCX
Color Black
Weight/pc. 1199 g
Order No. 6920U1MB



XCOMP 12 GW BLACK

Category All Mountain Piste
Brake width 90 mm
DIN range 4.0 - 12.0
Boot type A / GW
Rec. skier's weight <120 kg
Stand height 18 mm
Toe system XComp
AFD Gliding Plate Stainless steel
Heel TCX
Color Black
Weight/pc. 1168 g
Order No. 6820U1MB



12.0 TPX

Category All Mountain
Brake width 90 mm
DIN range 4.0 - 12.0
Boot type A / GW
Rec. skier's weight <120 kg
Stand height 18 mm
Toe system TPX
AFD Gliding Plate Stainless steel
Heel TCX light
Color Black - Anthracite
Weight/pc. 974 g
Order No. 6820T1MA



11.0 TP

Category All Mountain
Brake width 90 mm, 110 mm
DIN range 3.0 - 11.0
Boot type A / GW
Rec. skier's weight 30 - 110 kg
Stand height 18 mm
Toe system Triple Pivot Compact 2
AFD Gliding Plate Stainless steel
Step-in heel TCX Light
Color Black - Anthracite (C1), White (C2)
Weight/pc. 940 g
Order No. 6720T1MA (C1 - 90 mm)
 6720S1MB (C2 - 90 mm)
 6720T1MC (C1 - 110 mm)
 6720S1MD (C2 - 110 mm)



10.0 TP

Category All Mountain
 Brake width 85 mm
 DIN range 3.0 - 10.0
 Boot type A / GW
 Rec. skier's weight 30 - 105 kg
 Stand height 20 mm
 Toe system Triple Pivot Compact 2
 AFD Gliding Plate Stainless steel
 Step-in heel Compact 3
 Color Black - Anthracite
 Weight/pc. 759 g
 Order No. 6520T1MA



7.0

Category All Mountain
 Brake width 70 mm, 85 mm
 DIN range 2.0 - 7.0
 Boot type A / C / GW / GW JR
 Rec. skier's weight 24-75 kg
 Stand height 22 mm
 Toe system 4-linkage jr2
 AFD Gliding Plate Active AFD
 Heel Junior
 Color Black - Anthracite (C1), White (C2)
 Weight/pc. 575 g
 Order No. 6220T1MA (C1 - 70 mm)
 6220T1MB (C2 - 70 mm)
 6220U1MC (C1 - 85 mm)



FREE 7

Category All Mountain
 Brake width 95 mm
 DIN range 2.0 - 7.0
 Boot type A / C / GW / GW JR
 Rec. skier's weight 24-75 kg
 Stand height 22 mm
 Toe system 4-linkage jr2
 AFD Gliding Plate Active AFD
 Heel Junior
 Color Black (C1), White - Silver (C2)
 Weight/pc. 572 g
 Order No. 6224U1MS (C1)
 6224U1MW (C2)



4.5

Category All Mountain
 Brake width 70 mm, 85 mm
 DIN range 0.75 - 4.5
 Boot type A / C / GW / GW JR
 Rec. skier's weight 12-57 kg
 Stand height 22 mm
 Toe system 4-linkage jr2
 AFD Gliding Plate Active AFD
 Heel Junior
 Color Black - Anthracite (C1)
 White (C2)
 Weight/pc. 568 g
 Order No. 6120T1MA (C1 - 70 mm)
 6120T1MB (C2 - 70 mm)
 6120T1MC (C1 - 85 mm)



FDT Plate System BULK (5 PAIR)
 Order No. 2064T1MA



FDT High Performance Plate BULK (5 PAIR)
 Order No. 2064U1MP



FDT JUNIOR PLATE BULK (5 PAIR)
 Order No. 2075S1SS: Small 190 - 285 mm
 2075S1SL: Large 235 - 330 mm



FDT TPX 12

Category All Mountain Rental
 Brake width 90 mm, 110 mm
 DIN range 4.0 - 12.0
 Boot type A / GW
 Rec. skier's weight < 120 kg
 Stand height 25 mm
 Toe system TPX
 AFD Gliding Plate Stainless steel
 Step-in heel TCX light
 Color Black - Anthracite
 Weight /pc. 1001 g
 Weight /pc. System 1270 g
 Order No. 6862U1MC (90mm without plate)
 6862U1MW (110mm without plate)
 6862U1MCS (90mm with plate)



FDT TP 10

Category All Mountain Rental
Brake width 80 mm
DIN range 3.0 - 10.0
Boot type A / GW
Rec. skier's weight 30 - 105 kg
Stand height 26 mm
Toe system Triple Pivot compact 2
AFD Gliding Plate Stainless steel
Step-in heel Compact 3
Color Black - Anthracite
Weight/pc. 777 g
Weight /pc. System 990 g
Order No. 6562U1MC (without plate)
 6562U1MCS (with plate)



GRIFFON 13 D

Category Freeride Rental
Brake width 90 mm, 100 mm, 110 mm
DIN range 4.0 - 13.0
Boot type A / GW
Rec. skier's weight <120 kg
Stand height 25 mm
Toe system Triple Pivot Elite 3
AFD Gliding Plate Stainless steel
Heel Inter Pivot 3
Color Black
Weight/pc. 1390 g
Order No. 7520U1GA (90 mm) (with plate)
 7520U1GD (100 mm) (with plate)
 7520U1GB (110 mm) (with plate)



FDT TLT 10

Category All Mountain Rental
Brake width 80 mm
DIN range 3.0 - 10.0
Boot type A / GW
Rec. skier's weight 30 - 105 kg
Stand height 26 mm
Toe system 2-linkage
AFD Gliding Plate Gliding AFD
Step-in heel Compact 3
Color Black - Anthracite
Weight/pc. 793 g
Order No. 6562U1MT (without plate)



GRIFFON 13 TCX D

Category Freeride Rental
Brake width 90 mm, 100 mm, 110 mm
DIN range 4.0 - 13.0
Boot type A / GW
Rec. skier's weight <120 kg
Stand height 25 mm
Toe system Triple Pivot Elite 3
AFD Gliding Plate Stainless steel
Heel TCX
Color Black
Weight/pc. 1211 g
Order No. 6862U1GA (90 mm) (with plate)
 6862U1GD (100 mm) (with plate)
 6862U1GB (110 mm) (with plate)



	FDT 7.0	FDT 4.5
Category	All Mountain Rental	All Mountain Rental
Size	L 235 - 330	S 190 - 285
Brake width	70 mm, 85 mm	70 mm, 85 mm
DIN range	2.0 - 7.0	0.75 - 4.5
Boot type	A / C / GW / GW JR	A / C / GW / GW JR
Rec. skier's weight	24-75 kg	12-57 kg
Stand height	24 mm	24 mm
Toe system	4-linkage jr2	4-linkage jr2
AFD Gliding Plate	Active AFD	Active AFD
Heel	Junior	Junior
Color	Black - Anthracite	Black - Anthracite
Weight/pc.	550 g	546 g
Order No.	6263T1MA (with plate) 6263T1MC (with plate)	6163T1MA (with plate) 6163T1MC (with plate)



NEW **SQUIRE 11 TCX D**

Category Freeride Rental
Brake width 90 mm, 100 mm
DIN range 3.0 - 11.0
Boot type A / GW
Rec. skier's weight 30 - 110 kg
Stand height 25 mm
Toe system Triple Pivot Light 2
AFD Gliding Plate Stainless steel
Heel TCX light
Color Black
Weight/pc. 990 g
Order No. 6762V1.MB (100 mm) (with plate)
 6762V1.MA (90 mm) (with plate)



	7.0 RTL	4.5 RTL
Category	All Mountain Rental	All Mountain Rental
Brake width	70 mm	70 mm
DIN range	2.0 - 7.0	0.75 - 4.5
Boot type	A / C / GW / GW JR	A / C / GW / GW JR
Rec. skier's weight	24-75 kg	12-57 kg
Stand height	22 mm	22 mm
Toe system	4-linkage jr2	4-linkage jr2
AFD Gliding Plate	Active AFD	Active AFD
Heel	Junior	Junior
Color	Black - Anthracite	Black - Anthracite
Weight/pc.	599 g	589 g
Order No.	6220T1MR	6120T1MR



	Category Compatible w/ Size	Installation tool Jester, Griffon, Schizo, 16.0 - M 9.0 61 - 117 mm 95 - 150 mm
	Order No.	W001G1T (61 - 117 mm) W012J1T (95 - 150 mm)
	Category Compatible w/ Size	Installation tool Tour S & L 61 - 117 mm 95 - 150 mm
	Order No.	W010G1T (61 - 117 mm) W011J1T (95 - 150 mm)
	Category Compatible w/ Size	Installation tool Duke, Baron, Tour EPF S & L 95 - 150 mm
	Order No.	W006M1T
	Category Compatible w/ Size	Installation tool World Cup plate, Junior Race interface 2 61 - 117 mm
	Order No.	W002O1T
	Category Compatible w/ Size	Installation tool Fastrak, FDT Junior 61 - 117 mm
	Order No.	W003H1T
	Category Compatible w/ Size	Installation tool M 7.0, M 4.5 + Jr. RTL -
	Order No.	W007H1T
	Category Compatible w/ Size	Installation tool Jester Demo, Xcell Demo, FDT 61 - 117 mm 95 - 150 mm
	Order No.	W009P1T (61 - 117 mm) W004Q1T (95 - 150 mm)
	Category Compatible w/ Size	Installation tool KINGPIN, KINGPIN Demo, Marker Alpinist 70 - 126 mm
	Order No.	W008T1T
	Category Compatible w/ Size	Installation tool ALU PRO plate 61 - 117 mm
	Order No.	W005S1T
	Category Compatible w/ Size	Installation tool Duke PT 12 & 16 70 - 126 mm
	Order No.	W014U1T
	Category Compatible w/ Size	Installation tool Kingpin Demo + Alpinist Demo 70 - 126 mm
	Order No.	W015V1T

BRAKES

Terrain Freeride	Brake Universal Freeride	Race TCX	Race Race 10 & Race 8	Performance 11.0 FLAT 12.0 FLAT	Brake Compact flat Freeride
Compatible w/ Duke, Jester, Tour	Duke, Jester brake				Free Ten, 10.0 Free
Brake width 136 mm (C1) 120 mm (C1) 110 mm (C1 + C2)	85 mm (C1) 90 mm (C1 + C2) 100 mm (C1)	85 mm	85 mm	90; 110 mm	80; 85; 100 mm
Color Black (C1) White (C2)	Black (C1) White (C2)	Black	Black	Black	Black
Order No. W015O1B (136) W026O1B (120) W016G1B (110)(C1) W012Q1B (110) (C2)	W018M1B (85) W017G1B (90) W019O1B (90) (C2) W027T1B (100)	W006O1B	W023H1B	W009F1B W005F1B	W020G1B (80 mm) W021K1B (85 mm) W004L1B (100 mm)

BRAKES

Compatible Tour + Compact	RTL	7.0 & 4.5 & FDT	KINGPIN	MARKER ALPINIST	Marker Alpinist Demo+Long travel
Brake width 80 mm, 85 mm	70 mm	70 mm (C1 + C2) 85 mm (C1)	75 - 100 mm (1) 100 - 125 mm (2)	90 mm 105 mm 115 mm	90 mm 105 mm
Color Black (C1) White (C2)	Black	Black (C1) White (C2)	Black	Black	
Order No. W024K1B (85, C1) W022N1B (80, C1) W025O1B (80, C2)	W014S1B	W007R1B (70, C1) W008R1B (70, C2) W009R1B (85, C1)	W010S1B (1) W011S1B (2)	W001S1B (90) W002S1B (105) W003S1B (115)	W004S1B (90) W005S1B (105)

BRAKES

Product Brake Duke PT	Brake Duke PT	Crampon KP/ Alpinist	Crampon KP/ Alpinist	Crampon KP/ Alpinist
Size 100 mm	125 mm	80 mm	90 mm	105 mm
Ski width 75-100mm	100 - 125mm	66 - 80 mm	75 - 90 mm	90 - 105 mm
Order No. W028U1B	W029U1B	H005S1A	H001P1P	H002P1P

CRAMPONS

Product Crampon KP/ Alpinist	Crampon	Crampon	Crampon	Crampon	Crampon Duke PT	Crampon Duke PT
Brake width 120 mm	82 mm	92 mm	105 mm	120 mm	105 mm	125 mm
Ski width 105 - 120 mm	< 74 mm	74 - 84 mm	90 - 105 mm	106 - 120 mm	90-105 mm	105-125 mm
Order No. H003P1P	H003K1A	H001M1A	H002N1A	H004M1A	H006U1R	H007U1R

KINGPIN / TOURING ACCESSORIES

Product KINGPIN AFD Platform	DIN adapter	Touring leash MARKER ALPINIST	MARKER ALPINIST Heel platform	MARKER ALPINIST U - bow
Compatible	Dynafit TLT 5/6, Dynafit TLT Speedfit, ARC'TERYX Procline, Salomon S/LAB X-ALP			
Order No. W012P1B	A001Q1D	L002S1A	A001S1W	A001S1US (Soft), A001S1UM (Medium), A001S1UH (Hard)

MARKER ALPINIST ACCESSORIES

MARKER ACCESSORIES

Product Marker gauge drill Ø 8 mm (45 mm)	Marker screw driver Pozidrive #3	Marker power bit 150 mm FEIN (Pozidrive)	Marker power bit 150 mm SBD (Pozidrive)	Marker binding drill bit 4.1 x 9.5	Marker allen key Ball end #5
Order No. 2541	2544	2547	2548	2552	2565

Product Marker binding drill bit	Marker binding drill bit	Marker trap-In insert	Marker binding glue	Marker screw driver	Marker silicone spray	Mounting Tool Adapter Wide Skis
3.6 x 7.5	3.6 x 9.5	PA 6 (100 pcs)	100 ml	Slotted #5.5	300 ml	148 mm
2637	2639	2653	2660	2661	2662	W001J1A



FREERIDE/FREESTYLE (ROYAL FAMILY)

Duke PT 16	Duke PT 12	Baron EPF 13	Jester 18 Pro ID	Jester 16 ID	Griffon 13 ID	Griffon 13 ID
Size/brake width 100 mm 125 mm	Size/brake width 100 mm 125 mm	Size/brake width S 265 -325; 100, 110 mm L 305 - 365;100, 110 mm	Size/brake width 90 mm, 110 mm 120 mm	Size/brake width 90 mm, 100 mm, 110 mm, 120 mm	Size/brake width 90 mm, 100 mm, 110 mm, 120 mm	Size/brake width 90 mm, 100 mm, 110 mm, 120 mm
DIN range 6.0 - 16.0	DIN range 4.0 - 12.0	DIN range 4.0 - 13.0	DIN range 8.0 - 18.0	DIN range 6.0 - 16.0	DIN range 4.0 - 13.0	DIN range 4.0 - 13.0
Color Black - Gunmetal	Color Black - Red	Color Black	Color Teal - Flo-Yellow	Color Black	Color Black (C1)	Color White (C2)
Order No. 7650U1ES (100 mm) 7650U1EB (125 mm)	Order No. 7550U1.EB (125 mm) 7550U1.ES (100 mm)	Order No. 7516U1.LS 7516U1.SS 7516U1.LA 7516U1.SA	Order No. 7924U1.JS 7924U1.JV 7924U1.JB	Order No. 7624U1.JA 7624U1.JB 7624U1.JC 7624U1.JD	Order No. 7524U1.GA 7524U1.GB 7524U1.GC 7524U1.GD	Order No. 7524U1.GE 7524U1.GF 7524U1.GP 7524U1.GR

JUNIOR

FREE 7	7.0	4.5
Size 95 mm	Size 70 mm 85 mm	Size 70 mm 85 mm
Brake width 95 mm	Brake width 70 mm 85 mm	Brake width 70 mm 85 mm
DIN range 2.0 - 7.0	DIN range 2.0 - 7.0	DIN range 0.75 - 4.5
Color Black (C1) White - Silver (C2)	Color Black - Anthracite (C1) White (C2)	Color Black - Anthracite (C1) White (C2)
Order No. 6224U1MS (C1) 6224U1MW (C2)	Order No. 6220T1MA (C1 - 70 mm) 6220T1MB (C2 - 70 mm) 6220U1MC (C2 - 85 mm)	Order No. 6120T1MA (C1 - 70 mm) 6120T1MB (C2 - 70 mm) 6120T1MC (C1 - 85 mm)

RACE

Xcomp 24	Xcomp 18	Xcomp 16	Xcomp 12	Race 10 TCX	Race 10	Race Junior 8
DIN range 12.0 - 24.0	DIN range 8.0 - 18.0	DIN range 6.0 - 16.0	DIN range 4.0 - 12.0	DIN range 3.0 - 10.0	DIN range 3.0 - 10.0	DIN range 2.0 - 8.0
Color Black - Flo-red	Color Black - Flo-red	Color Black - Flo-red	Color Black - Flo-red	Color Black - Flo-red	Color Black - Flo-red	Color Black - Flo-red
Order No. 7130U1MX	Order No. 7120U1MX	Order No. 6920U1MS	Order No. 6820U1MS	Order No. 6520U1MT	Order No. 6520U1MS	Order No. 6320U1MS

TOUR

F12 Tour EPF	F10 Tour	KINGPIN M-WERKS 12	KINGPIN 10	KINGPIN 13	KINGPIN 10 DEMO	KINGPIN 13 DEMO
Size/brake width S 265 - 325 mm L 305 - 365 mm 100, 110 mm	Size/brake width S 265 - 325 mm L 305 - 365 mm 90, 100 mm	Size/brake width 75 - 100 mm 100 - 125 mm	Size/brake width 75 - 100 mm 100 - 125 mm	Size/brake width 75 - 100 mm 100 - 125 mm	Size/brake width 75 - 100 mm	Size/brake width 100 - 125 mm
DIN range 4.0 - 12.0	DIN range 3.0 - 10.0	DIN range 5.0 - 12.0	DIN range 5.0 - 10.0	DIN range 6.0 - 13.0	DIN range 5.0 - 10.0	DIN range 6.0 - 13.0
Color Black - Anthracite	Color Black - White	Color Black - Red	Color Black - Red	Color Black - Red	Color Black - Red	Color Black - Red
Order No. 7816U1.SS (100 mm) 7816U1.LS (100 mm) 7816R1.SE (110 mm) 7816R1.LE (110 mm)	Order No. 7716S1.TC (90 mm)	Order No. 7831T1.CS 7831T1.CW	Order No. 7733U1.MA 7733U1.MB	Order No. 7933U1.MA 7933U1.MB	Order No. 7734V1.MA	Order No. 7934V1.MB

RENTAL / DEMO

FDT TPX 12	FDT TP 10	FDT TLT 10	FDT 7.0	FDT 4.5	7.0 RTL	4.5 RTL
Size 90 mm	Size 80 mm	Size 80 mm	Size L 235 - 330 70 mm 85 mm	Size S 190 - 285 70 mm 85 mm	Size 70 mm	Size 70 mm
Brake width 90 mm	Brake width 80 mm	Brake width 80 mm	Brake width 70 mm 85 mm	Brake width 70 mm 85 mm	Brake width 70 mm	Brake width 70 mm
DIN range 4.0 - 12.0	DIN range 3.0 - 10.0	DIN range 3.0 - 10.0	DIN range 2.0 - 7.0	DIN range 0.75 - 4.5	DIN range 2.0 - 7.0	DIN range 0.75 - 4.5
Color Black - Anthracite	Color Black - Anthracite	Color Black - Anthracite	Color Black - Anthracite	Color Black - Anthracite	Color Black - Anthracite	Color Black - Anthracite
Order No. 6862U1.MC (90mm) 6862U1.MW (110mm) 6862U1.MCS (90mm with plate)	Order No. 6562U1MC 6562U1MCS (with plate)	Order No. 6562U1MT	Order No. 6263T1MA (70 mm with plate) 6263T1MC (85 mm with plate)	Order No. 6163T1MA (70 mm with plate) 6163T1MC (85 mm with plate)	Order No. 6220T1MR	Order No. 6120T1MR

MARKER ALPINIST 12	MARKER ALPINIST 10	MARKER ALPINIST 8	MARKER ALPINIST 12 LONG TRAVEL	MARKER ALPINIST 10 LONG TRAVEL	MARKER ALPINIST DEMO 10	MARKER ALPINIST DEMO 8
Size/brake width 90 mm, 105 mm, 115 mm (optional)	Size/brake width 90 mm, 105 mm, 115 mm (optional)	Size/brake width 90 mm, 105 mm, 115 mm (optional)	Size/brake width 90; 105 mm (optional)	Size/brake width 90; 105 mm (optional)	Size/brake width 90; 105 mm	Size/brake width 90 mm
DIN range 6.0 - 12.0	DIN range 4.0 - 10.0	DIN range 3.0 - 8.0	DIN range 6.0 - 12.0	DIN range 4.0 - 10.0	DIN range 4.0 - 10.0	DIN range 3.0 - 8.0
Color Black - Red (C1) Black - Titanium (C2)	Color Black - Titanium	Color Black - Titanium (C1) Black - Turquoise (C2)	Color Black - Titanium	Color Black - Titanium	Color Black - Titanium	Color Black - Titanium
Order No. 7833S1.MA 7833S1.MB	Order No. 7733V1.MB	Order No. 7433U1.MB 7433U1.MC	Order No. 7834V1.ML	Order No. 7734V1.ML	Order No. 7734V1.MW 7734V1.MS	Order No. 7434V1.MS

Griffon 13 D	Griffon 13 TCX D	Squire 11 TCX D
Brake width 90; 100; 110 mm	Brake width 90; 100; 110 mm	Brake width 90; 100 mm
DIN range 4.0 - 13.0	DIN range 4.0 - 13.0	DIN range 3.0 - 11.0
Color Black	Color Black	Color Black
Order No. 7520U1.GA (90 mm) (with plate) 7520U1.GD (100 mm) (with plate) 7520U1.GB (110 mm) (with plate)	Order No. 6862U1.GA (90 mm) (with plate) 6862U1.GD (100 mm) (with plate) 6862U1.GB (110 mm) (with plate)	Order No. 6762V1.MB (100 mm) (with plate) 6762V1.MA (90 mm) (with plate)

XCOMP FLAT (GRIPWALK)

PISTE / ALL MOUNTAIN

XCOMP 16 GW BLACK	XCOMP 12 GW BLACK	12.0 TPX	11.0 TP	10.0 TP
Size/brake width 90 mm	Size/brake width 90 mm	Size/brake width 90 mm	Size/brake width 90; 110 mm	Size/brake width 85 mm
DIN range 6.0 - 16.0	DIN range 4.0 - 12.0	DIN range 4.0 - 12.0	DIN range 3.0 - 11.0	DIN range 3.0 - 10.0
Color Black	Color Black	Color Black - Anthracite	Color Black - Anthracite (C1) White (C2)	Color Black - Anthracite
Order No. 6920U1.MB	Order No. 6820U1.MB	Order No. 6820T1.MA	Order No. 6720T1.MA (C1 - 90 mm) 6720S1.MB (C2 - 90 mm) 6720T1.MC (C1 - 110 mm) 6720S1.MD (C2 - 110 mm)	Order No. 6520T1.MA

INTERFACE

FDT plate; bulk	FDT High Performance plate; bulk	FDT JUNIOR PLATE	FDT JUNIOR PLATE	World Cup PC Interface	ALU PRO plate
Size Black	Size Black	Size Large 235 - 330 mm Black	Size Small 190 - 285 mm Black	Size 10; 14 mm Black	Size 10 mm Silver
Color Black	Color Black	Color Black	Color Black	Color Black	Color Silver
Order No. 2065T1MA (5 pair)	Order No. 2064U1MP (5 pair)	Order No. 2075S1SS	Order No. 2075S1SL	Order No. 2020R1SS (10 mm) 2022R1SS (14 mm)	Order No. 2030S1MP



HELMETS

2021/22



Mips



NEW PHOENIX2 MIPs

- Construction** Hybrid
- Ventilation** MarkAIR Channel System
2 Position Climate Control
- Protection** MAP
Mips
Top Shell Protection: ABS
Side Shell Protection: PC
360° Edge Protection
- Fitting** RTS 360° Fit
Fidlock OG Snap
- Comfort** Customizable/Removable SoGnar Earpad & Liner
Includes 2 Liner sets
- Normal X-Dry
- Fleece X-Dry
- Goggle Clip** Stretch Clip
- Sizing** Small | Medium | Large
- Circumference (cm)** 51-55 | 55-59 | 59-63
- Weight (+/-5%)** TBA | 615 g | TBA



Black
141201.01

S
M
L



Black/Teal Blue/Red
141201.03

S
M
L



White
141201.02

♀
S
M



Mips



NEW PHOENIX2 M-WERKS

- Construction** Hybrid
- Ventilation** MarkAIR Channel System
2 Position Climate Control
- Protection** MAP
Mips
Top Shell Protection: Carbon
Side Shell Protection: PC
360° Edge Protection
- Fitting** RTS 360° Fit
Fidlock OG Snap
- Comfort** Customizable/Removable SoGnar Earpad & Liner
Includes 2 Liner sets
- Normal X-Dry
- Fleece X-Dry
- Goggle Clip** Stretch Clip
- Sizing** Small | Medium | Large
- Circumference (cm)** 51-55 | 55-59 | 59-63
- Weight (+/-5%)** TBA | 575 g | TBA



Black
141200.01

S
M
L



NEW PHOENIX2

- Construction** Hybrid
- Ventilation** MarkAIR Channel System
2 Position Climate Control
- Protection** MAP
Top Shell Protection: ABS
Side Shell Protection: PC
360° Edge Protection
- Fitting** RTS 360° Fit
Fidlock OG Snap
- Comfort** Customizable/Removable SoGnar Earpad & Liner
Includes 2 Liner sets
- Normal X-Dry
- Fleece X-Dry
- Goggle Clip** Stretch Clip
- Sizing** Small | Medium | Large
- Circumference (cm)** 51-55 | 55-59 | 59-63
- Weight (+/-5%)** TBA | 585 g | TBA



Black/Sand
141202.01

S
M
L



White/Sand
141202.02

♀
S
M



Mips



NEW **AMPIRE 2 MIPS**

Construction Hybrid

Ventilation MarkAIR Channel System
2 Position Climate Control

Protection Mips
Top Shell Protection: ABS
Side Shell Protection: PC
360° Edge Protection

Fitting RTS 360° Fit
Fidlock OG Snap

Comfort Customizable/Removable SoGnar Earpad & Liner
Includes 2 Liner sets
- Normal X-Dry
- Fleece X-Dry

Goggle Clip Stretch Clip

Sizing Small | Medium | Large

Circumference (cm) 51-55 | 55-59 | 59-63

Weight (+/-5%) TBA | 636 g | TBA



Black
141203.01



White
141203.02



Red/Teal Blue
141203.03



Grey/Green
141203.04



NEW **COMPANION +**

Construction Double In-Mould

Ventilation MarkAIR Channel System
2 Position Climate Control

Protection 270° Edge Protection

Fitting RTS 360° Fit
Xdry Liner
Xdry Fleece Liner (w)
Fidlock OG Snap

Earpads Removable & Audio Ready

Goggle Clip Stretch Clip

Sizing Small | Medium | Large

Circumference (cm) 51-55 | 55-59 | 59-63

Weight (+/-5%) 420 g | 510 g | 540 g



Black
141205.01



Grey
141205.02



White
141205.03

FLEECE LINER



NEW **AMPIRE 2**

Construction Hybrid

Ventilation MarkAIR Channel System
2 Position Climate Control

Protection Top Shell Protection: ABS
Side Shell Protection: PC
360° Edge Protection

Fitting RTS 360° Fit
Fidlock OG Snap

Comfort Customizable/Removable SoGnar Earpad & Liner
Includes 2 Liner sets
- Normal X-Dry
- Fleece X-Dry

Goggle Clip Stretch Clip

Sizing Small | Medium | Large

Circumference (cm) 51-55 | 55-59 | 59-63

Weight (+/-5%) TBA | 606 g | TBA



Black
141204.01



White
141204.02



COMPANION

Construction Double In-Mould

Ventilation MarkAIR Channel System
2 Position Climate Control

Protection 270° Edge Protection

Fitting RTS Fit System
Xdry Liner
Xdry Fleece Liner (w)

Earpads Removable & Audio Ready

Goggle Clip Stretch Clip

Sizing Small | Medium | Large

Circumference (cm) 51-55 | 55-59 | 59-63

Weight (+/-5%)



Black
168408.15



Grey
168408.10



White (W)
168409.00

FLEECE LINER



CLARK

- Construction** Triple In-Mould
- Ventilation** MarkAIR Channel System
2 AIR JAM Climate Control
- Protection** 360° Edge Protection
- Fitting** RTS Fit System
Xdry Liner
FidLock OG Snap
Beanie Ready
- Earpads** Removable & Audio Ready
- Goggle Clip** Claw
- Sizing** Small | Medium | Large
- Circumference (cm)** 51-55 | 55-59 | 59-63
- Weight (+/-5%)** 365 g | 395 g | 425 g



Black
168410.17



Grey
141206.01

Junior



SQUAD JR

- Construction** ABS Hardshell
- Ventilation** MarkAIR Channel System
AIR JAM CLIMATE CONTROL
- Fitting** RTS Fit System
Xdry Performance Lining
FidLock OG Snap
- Earpads** FIXED
- Goggle Clip** Snap Clip
- Sizing** OO | O
- Circumference (cm)** 47 - 51 | 51 - 56
- Weight (+/-5%)** 480 g | 500 g



Black
169920.15



Infrared
169920.51



Blue
141208.01



SQUAD

- Construction** ABS Hardshell
- Ventilation** MarkAIR Channel System
AIR JAM CLIMATE CONTROL
- Fitting** RTS Fit System
Xdry Performance Lining
FidLock OG Snap
- Earpads** SQUAD - Removable & Audio Ready
SQUAD FE - Fixed
- Goggle Clip** Snap Clip
- Sizing** Small | Medium | Large
- Circumference (cm)** 51-55 | 55-59 | 59-63
- Weight (+/-5%)** 480 g | 500 g | 560 g



White
169915.00



Black
169915.15



MDV Colors
141207.01



Coral
140223.63

FLEECE LINER

Junior



VIJO

- Construction** ABS Hardshell
- Ventilation** MarkAIR Channel System
AIRJAM Climate Control
- Unique Feature** Integrated Lens System
- Fitting** RTS Fit System
Xdry Performance Lining
- Earpads** Removable & Audio Ready
- Goggle Clip** -
- Sizing** OO | O
- Circumference (cm)** 47 - 51 | 51 - 56
- Weight (+/-5%)** 550 g | 550 g



Blue
169922.80



Infrared
169922.51



Pink
169922.72



Junior



BINO XS

- Construction** In-Mould
- Ventilation** MarkAIR Channel System
AIRJAM Climate Control
- Protection** 180° Edge Protection
- Fitting** RTS Fit System
Xdry Performance Lining
- Earpads** FIXED
- Goggle Clip** 2 Side Clips
- Sizing** XS
- Circumference (cm)** 50 - 55
- Weight (+/-5%)** 345 g



Blue
140221.80



Pink
140221.60



Yellow
140221.25



Black
140221.15



RENTAL

- Construction** ABS w Deboss Texture
- Ventilation** MarkAIR Channel System
AIR JAM Climate Control
- Fitting** RTS Fit System
Xdry Performance Lining
- Earpads** FIXED
- Goggle Clip** Snap Clip
- Sizing** Small | Medium | Large | XL
- Circumference (cm)** 51-55 | 55-59 | 59-63 | 62-65
- Weight (+/-5%)** 480 g | 500 g | 560 g | 560 g

FIXED EARPADS



White
169416.00



Black
169416.15



Anthracite
169416.18

Junior



BINO XXS

- Construction** In-Mould
- Ventilation** MarkAIR Channel System
AIRJAM Climate Control
- Protection** 180° Edge Protection
- Fitting** RTS Fit System
Xdry Performance Lining
- Earpads** FIXED
- Goggle Clip** 2 Side Clips
- Special Feature** Graphical Highlight (excl. Black Version)
- Sizing** XXS
- Circumference (cm)** 45 - 49
- Weight (+/-5%)** 350 g



Blue
140221.89



Pink
140221.69



Yellow
140221.27



Black
140221.15

Junior



RENTAL JR

- Construction** ABS
- Ventilation** MarkAIR Channel System
AIR JAM Climate Control
- Fitting** RTS Fit System
Xdry Performance Lining
- Earpads** FIXED
- Goggle Clip** Snap Clip
- Sizing** OO | O
- Circumference (cm)** 47 - 51 | 51 - 56
- Weight (+/-5%)** 510 g | 530 g



Black
169418.15



Neon Yellow
169418.26



HELMET FEATURES OVERVIEW

	Phoenix2 M-Werks Phoenix2 Mips	Phoenix2	Ampire2 Mips	Ampire2	Companion+	Companion	Clark	Squad	Squad Jr.	Vijo	Bino XS	Bino XXS	Rental	Rental Jr.
Sizing	S/M/L	S/M/L	S/M/L	S/M/L	S/M/L	S/M/L	S/M/L	S/M/L	OO/O	OO/O	XS	XXS	S/M/L /XL	OO/O
Construction	Hybrid Shell	Hybrid Shell	Hybrid Shell	Hybrid Shell	In-Mould	In-Mould	In-Mould	Hardshell	Hardshell	Hardshell	In-Mould	In-Mould	Hardshell	Hardshell
Protection														
MAP	•	•												
MIPs	•		•											
360° Edge Protection		•	•				•							
270° Edge Protection					•	•				•				
180° Edge Protection		•									•	•		
Ventilation														
MarkAIR Channel System		•	•		•	•	•	•	•	•	•	•	•	•
2 Position Climate Control		•	•		•	•								
AIR JAM CLIMATE CONTROL					•	•	•	•			•	•	•	•
Goggle Integration System		•	•		•	•	•	•	•	•			•	•
Fit														
360° RTS Fit System	•	•	•	•	•									
RTS Fit System						•	•	•			•	•	•	•
Comfort														
Normal X-Dry Liner	•	•	•	•	•	•	•	•	•	•	•	•	•	•
Fleece X-Dry Liner	•	•	•	•	women	women		women						
SoGnar Earpads	•	•	•	•										
Removable Earpads					•	•	•			•				
FE = Fixed Earpads													•	•
Features														
Fidlock OG Snap	•	•	•	•	•			•	•					
Easy Adjust													•	•
Standard Buckle						•			•	•	•	•		
Goggle Clip	Stretch Clip	Stretch Clip	Stretch Clip	Stretch Clip	Stretch Clip	Stretch Clip	Claw	Claw	Claw	Stretch Clip	2 Side Claws	-	Snap	Snap
Beanie Ready					•	•	•		•	•				
Helmet Bag	•	•	•	•	•	•	•	•	•	•	•	•		
Rental Features														
Integrated Rental Surface													•	•
Barcode Area													•	•





**+PLUS
SERIES**

SQUADRON +



- Fit** Large Fit
- Ventilation** MarkAIR Vent System
- Lens** Magnetic lens incl. magnetic spare part lens
NMT OPTICS (3rd Eyelid)
Cylindrical lens
100% UV A/B/C Technology
Also available with polarized lenses
- Features** Xdry TRIPLE LAYER FACE FOAM
Superfit frame design
45 mm goggle strap with silicon anti-slip coating
100% compatibility with helmet
Neoprene box plus microfiber bag
Additional lens
- Certification** CE EN 174:2001, optical Class 1



Black matt
Black light HD
141301.01.11.3




Black matt
Green plasma mirror
169350.15.04.3



Black matt
Blue HD mirror
169350.15.12.3


**READY TO GO
FOR EVERY LIGHT
CONDITIONS**

**+PLUS
SERIES**



SECOND LENS

Including one Clarity mirror lens for low-light conditions.



NEOPRENE BOX

All PLUS goggles come in a lightweight neoprene box with a zipper to make transport and storage easier. The soft lining protects the goggles, while the vent holes allow for quick moisture evaporation.



NEW **ULTRA-FLEX**

- Fit** Large Fit
- Lens** Super Anti-Fog Inner Lens
NMT+ OPTICS (3rd Eyelid)
Spherical lens
100% UV A/B/C Technology
- Features** Xdry Face Foam
Superfit frame design
40 mm goggle strap with silicon anti-slip coating
Curved Neoprene Case plus microfiber bag
- Certification** CE EN 174:2001, optical Class 1



Clarity 78
141300.03.00.3



Gold Mirror
141300.01.00.3



Blue Mirror
141300.02.00.3



**ULTRA-FLEX
CURVED NEOPRENE
CASE**

For maximum comfort under the jacket. Extra flat and ergonomically shaped, therefore not so bulky.



**+PLUS
SERIES**



16:10+

- Fit** Large Fit
- Ventilation** MarkAIR Vent System
- Lens** NMT OPTICS (3rd Eyelid)
DUAL BIONOMIC spherical lens
100% UV A/B/C Technology
Also available with polarized lenses
- Features** Xdry TRIPLE LAYER FACE FOAM
Superfit frame design
45 mm goggle strap with silicon anti-slip coating
100% compatibility with helmet
Neoprene box plus microfiber bag
Additional lens
- Certification** CE EN 174:2001, optical Class 1

**+PLUS
SERIES**



PERSPECTIVE+

- Fit** Large Fit
- Ventilation** MarkAIR Vent System
- Lens** NMT OPTICS (3rd Eyelid)
DUAL BIONOMIC spherical lens
100% UV A/B/C Technology
Also available with polarized lenses
- Features** Xdry TRIPLE LAYER FACE FOAM
Superfit frame design
45 mm goggle strap with silicon anti-slip coating
100% compatibility with helmet
Neoprene box plus
- Certification** CE EN 174:2001, optical Class 1



Black
Green plasma mirror
169353.15.04.3



Black
Blach light HD
169353.15.11.3



Snow White
Pink plasma mirror
169353.02.05.3



Night Blue
Green plasma mirror
169353.81.04.3




Magenta
Pink plasma mirror
169353.61.05.3



Black
Black light HD
169355.15.11.3



Snow White
Pink plasma mirror
169355.02.05.3




Grey / Green
Red plasma mirror
169355.10.02.3



Black
Green plasma mirror
169355.15.05.3

**+PLUS
SERIES**



16:10+ OTG

- Fit** Large Fit
- Ventilation** MarkAIR Vent System
- Lens** NMT OPTICS (3rd Eyelid)
DUAL BIONOMIC spherical lens
100% UV A/B/C Technology
- Features** Xdry TRIPLE LAYER FACE FOAM
Superfit frame design
45 mm goggle strap with silicon anti-slip coating
100% compatibility with helmet
Neoprene box plus microfiber bag
Additional lens
- Certification** CE EN 174:2001, optical Class 1

PERSPECTIVE



- Fit** Large Fit
- Ventilation** MarkAIR Vent System
- Lens** NMT OPTICS (3rd Eyelid)
DUAL BIONOMIC spherical lens
100% UV A/B/C Technology
Also available with polarized lenses
- Features** Xdry TRIPLE LAYER FACE FOAM
Superfit frame design
45 mm goggle strap with silicon anti-slip coating
100% compatibility with helmet
Microfiber goggle bag
- Certification** CE EN 174:2001, optical Class 1



Snow White
Pink plasma mirror
169354.02.05.3



Black
Green plasma mirror
169354.15.04.3



Snow White
Surround mirror
169357.02.01.3



Snow White
Clarity mirror
169357.02.03.3



Black
Clarity mirror
169357.15.03.3



Black
Surround mirror
169357.15.01.3



**+ PLUS
SERIES**

PROJECTOR+



- Fit** Large Fit
- Ventilation** MarkAIR Vent System
- Lens** NMT OPTICS (3rd Eyelid)
DUAL BIONOMIC spherical lens
100% UV A/B/C Technology
Also available with polarized lenses
- Features** Xdry TRIPLE LAYER FACE FOAM
Superfit frame design
45 mm goggle strap with silicon anti-slip coating
100% compatibility with helmet
Neoprene box plus microfiber bag
Additional lens
- Certification** CE EN 174:2001, optical Class 1



Black
Red plasma mirror
169356.15.02.2



Black
Green plasma mirror
169356.15.04.2



Magenta
Pink plasma mirror
169356.61.05.2



Snow White
Pink plasma mirror
169356.02.05.2



TRIVIUM

- Fit** Small
- Ventilation** MarkAIR Vent System
- Lens** NMT OPTICS (3rd Eyelid)
DUAL BIONOMIC spherical lens
100% UV A/B/C Technology
- Features** Xdry TRIPLE LAYER FACE FOAM
Superfit frame design
45 mm goggle strap with silicon anti-slip coating
Microfiber goggle bag
- Certification** CE EN 174:2001, optical Class 1



Black
Surround mirror
140309.15.01.2



Magenta
Pink plasma mirror
140309.61.05.2



Snow White
Clarity mirror
140309.02.03.2



Snow White
Green plasma mirror
140309.02.04.2

Junior

PROJECTOR



- Fit** Medium Fit
- Ventilation** MarkAIR Vent System
- Lens** NMT OPTICS (3rd Eyelid)
DUAL BIONOMIC spherical lens
100% UV A/B/C Technology
- Features** Xdry TRIPLE LAYER FACE FOAM
Superfit frame design
45 mm goggle strap with silicon anti-slip coating
100% compatibility with helmet
Microfiber goggle bag
- Certification** CE EN 174:2001, optical Class 1



Black
Clarity mirror
169358.15.03.2



Black
Surround mirror
169358.15.01.2



Snow White
Clarity mirror
169358.02.03.2



SQUADRON JR

- Fit** Youth
- Ventilation** MarkAIR Vent System
- Lens** NMT OPTICS (3rd Eyelid)
DUAL BIONOMIC spherical lens
100% UV A/B/C Technology
- Features** Xdry TRIPLE LAYER FACE FOAM
Superfit frame design
45 mm goggle strap with silicon anti-slip coating
Microfiber goggle bag
- Certification** CE EN 174:2001, optical Class 1



Black
Clarity mirror
140310.15.03.1



Black
Surround mirror
140310.15.01.1



Snow White
Green screen mirror
140310.02.24.1



Junior

4:3



- Fit** Youth
- Ventilation** MarkAIR Vent System
- Lens** HYDROPHOBIC COATING
DUAL BIONOMIC spherical lens
100% UV A/B/C Technology
- Features** Xdry TRIPLE LAYER FACE FOAM
Superfit frame design
45 mm goggle strap with silicon anti-slip coating
100% compatibility with helmet
Microfiber goggle bag
- Certification** CE EN 174:2001, optical Class 1



Black
Orange clarity
140311.15.21.1




Snow White
Orange clarity
140311.02.21.1


GOGGLE LENS



Black Light HD
VLT*: 20%
Cat.: S2
Polarized



Blue HD Mirror
VLT*: 11%
Cat.: S3
Polarized



Gold Mirror
VLT*: 12%
Cat.: S3



Blue Mirror
VLT*: 19%
Cat.: S2



Surround Mirror
VLT*: 11%
Cat.: S3



Pink Plasma Mirror
VLT*: 11%
Cat.: S3




Red Plasma Mirror
VLT*: 25%
Cat.: S2



Green Plasma Mirror
VLT*: 25%
Cat.: S2



Clarity Mirror
VLT*: 68%
Cat.: S1



Green Screen Mirror
VLT*: 15%
Cat.: S3



Red Screen Mirror
VLT*: 25%
Cat.: S2



Orange clarity
VLT*: 38%
Cat.: S2



Polarized Lens

*VLT specifies the translucency of a lens, defining how much light will hit the eye.

Lens illustrations may differ

LENSES

2021/22

LENS CATEGORY INFORMATION

Category	S0	S1	S2	S3	S4
Level of tinting	Colorless/ minimally tinted	slightly tinted	Medium tinted	strongly tinted	very strongly tinted
Translucency (VLT)	100 - 80 %	80 - 43 %	43 - 18 %	18 - 8 %	8 - 3 %



PROTECTIVE WEAR

2021/22



Women
1414100.01

Youth
1414200.01

Junior

NEW

MAP VEST

- Protection** Full Back Protection
6 Layer MAP Flexible Spine Contour
- Fit** Anti-Sag Kidney Belt
Auto-Tailoring Mesh
- Breathability** MarkAIR Channel MAP Ventilation
MarkAIR Breathable Fabric
- Sizing** Men: S, M, L, XL
Women: S, M, L
Youth: S, L
- Weight (+/-5%)** TBA
- Certification** EN 1621-2:2014 Level 2
- Color** Black/Red, Black/Silver, Black/White
- Order No.** Men
1414000.01

Women
1414100.01

Youth
1414200.01



NEW


MAP PACK UNISEX

- Protection** Full Back Protection
6 Layer MAP Flexible Spine Contour
- Fit** Anti-Sag Kidney Belt
- Breathability** MarkAIR Channel MAP Ventilation
- FIS Ready** Adjustable/Removable Harness Straps
- Sizing** S, M, L, XL
- Weight (+/-5%)** TBA
- Certification** EN 1621-2:2014 Level 2
- Color** Black / Red
- Order No.** 141430.01






PHOENIX 2
M-Werks
Hybrid Shell




M-Werks
141200.01

PHOENIX 2
Mips
Hybrid Shell




Black 141201.01 Black/Teal/Red 141201.03 White 141201.02

PHOENIX 2
Hybrid Shell




Black/Sand 141202.01 White/Sand 141202.02

AMPIRE 2
Mips
Hybrid Shell



Black 141203.01 White 141203.02 Red/Teal 141203.03 Grey/Green 141203.04

AMPIRE 2
Hybrid Shell



Black 141204.01 White 141204.02

COMPANION+
Double In-Mold




Black 141205.01 White 141205.03 Grey 141205.02

COMPANION
Double In-Mold



Black 168408.15 Grey 168408.10 White 168409.00

CLARK
Triple In-Mold



Black 168410.17 Grey 141206.01

SQUAD
ABS Hardshell



Black 169915.15 White 169915.00 MDV COLORS 141207.01 Coral 140223.63

SQUAD JR
ABS Hardshell



Black 169920.15 Infrared 169920.51 Blue 141208.01

VIJO
ABS Hardshell



Blue 169922.80 Infrared 169922.51 Pink 169922.72

Replacement Lens 169380.0

RENTAL
ABS



White 169416.00 Black 169416.15 Anthracite 169416.18 White 169417.00 Black 169417.15

RENTAL JR
ABS




Black 169418.15 Neon Yellow 169418.26

BINO XS
Hybrid Shell



Blue 140221.80 Pink 140221.60 Yellow 140221.25

BINO XXS
Hybrid Shell



Blue 140221.89 Pink 140221.69 Yellow 140221.27 Black 140221.15


SQUADRON+
Large Fit



Black matt Black light HD 141301.01.11.3 169381.11 Black matt Green plasma mr. 169357.02.03.3 169381.04 Black matt Blue HD mirror 169357.02.03.3 169381.13 Clarity mirror 169381.03


Replacement Lens Clear 169381.06

ULTRA FLEX
Large Fit



Clarity 78 141300.03.00.3 Gold Mirror 141300.01.00.3 Blue Mirror 141300.02.00.3

16:10+
Large Fit



Black Green plasma mir. 169353.15.04.3 167380.04 Black Black light HD 169353.15.11.3 167380.11 Snow White Pink plasma mir. 169353.02.05.3 167380.05 Night Blue Green plasma mir. 169353.81.04.3 167380.04 Magenta Pink plasma mir. 169353.61.05.3 167380.05

Replacement Lens Clarity Mirror 167380.03

16:10+ OTG
Large Fit



Snow White Pink plasma mir. 169354.02.05.3 167380.05 Black Green plasma mir. 169354.15.04.3 167380.04 Clarity Mirror 167380.03

Replacement Lens

PERSPECTIVE+
Large Fit



Black Black light HD 169355.15.11.3 168380.11 Snow White Pink plasma mir. 169355.02.05.3 168380.05 Green Red plasma mir. 169355.10.02.3 168380.02 Black Green plasma mir. 169355.15.05.3 168380.04

Replacement Lens Clarity Mirror 168380.03

PERSPECTIVE
Large Fit



Snow White Surround mir. 169357.02.01.3 168380.01 Snow White Clarity mir. 169357.02.03.3 168380.03 Black Clarity mir. 169357.15.03.3 168380.03 Black Surround mir. 169357.15.01.3 168380.01

Replacement Lens

PROJECTOR+
Medium Fit



Black Red plasma mir. 169356.15.02.2 168381.02 Black Green plasma mir. 169356.15.04.2 168381.04 Magenta Pink plasma mir. 169356.61.05.2 168380.03 Snow White Pink plasma mir. 169356.02.05.2 168380.03

Replacement Lens Clarity mirror 168381.03

PROJECTOR
Medium Fit



Black Clarity mir. 169358.15.03.2 168381.03 Black Surround mir. 169358.15.01.2 168381.01 Snow White Clarity mir. 169358.02.03.2 168381.03

Replacement Lens

TRIVIUM
Small



Black Surround mir. 140309.15.01.2 140380.01 Magenta Pink plasma mir. 140309.61.05.2 140380.05 Snow White Clarity mir. 140309.02.03.2 140380.03 Snow White Green plasma mir. 140309.02.04.2 140380.04

Replacement Lens


SQUADRON JR
Youth



Black Clarity mir. 140310.15.03.1 140310.15.03.1 Black Surround mir. 140310.15.01.1 140310.15.01.1 Snow White Green screen mir. 140310.02.24.1 140310.02.24.1

Replacement Lens


4:3
Youth



Black Orange clarity 140311.15.21.1 140311.15.21.1 Snow White Orange clarity 140311.02.21.1 140311.02.21.1

Replacement Lens

PROTECTIVE WEAR



MAP VEST Men
169200.15.S
169200.15.M
169200.15.L
169200.15.XL

MAP VEST Women
169210.49.S
169210.49.M
169210.49.L
169210.49.XL

MAP VEST Youth
169220.49.S
169220.49.L

MAP PACK
169201.15.S
169201.15.M
169201.15.L
169201.15.XL



MARKER IS A MEMBER OF MDV SPORTS



MARKER.NET | MDVSPORTS.COM

INTERNATIONAL HEADQUARTER

Marker Deutschland GmbH
Dr. Gotthilf-Näher-Strasse 6
82377 Penzberg
Germany
Ph: +49 (0) 8856 8000-0
Fax: +49 (0) 8856 8000-271
info@marker.de



Photography: Adam Clark, Peter Mathis, GEPA,
Michael Mayer, Pally Learmond
Created & produced by: yearning.de

Marker, Marker Alpinist, Kingpin, GripWalk, X-Cell,
Piston, Fastrak, Duke, Jester, Baron, Griffon,
Squire, Schizo, Ampire, Motion and M-Werks
are registered trademarks of Marker Dalbello
Völkl (International) GmbH and other marks are
pending.

© 2020 by Marker. Subject to alternation